
# **PHILIPS** Lighting



# Core & Coil (71A) MH ~GT~ 450W

## CORE & COIL HID 71A65F3001

The basic ballast is the open core and coil which is most often used as a component within a lighting luminaire. The core and coil also forms the nucleus of Philips Advance's five other ballast configurations.

#### **Product data**

General Information		
ANSI Code	M141	
Lamp Type	1000W MH	
Number Of Lamps	1 piece/unit	
Circuit Type	SUPER-CWA	
Ballast Type	Magnetic HID	
Base Model	71A65F3T	
Core Size	4 1/4 x 6 (2 Coil)	
Suitable For Outdoor Use	Yes	
Ignitor Catalog Number	LI571-H5	
Ignitor Temperature Rating	105°C	
Capacitor Value	24 MFD	
Capacitor Catalog Number	MD2409000	
Capacitor Requirements	480V	
Capacitor Temperature Rating	90°C	
Capacitor Diameter/Oval Dimensions	1.75 in	
Capacitor Height	3.9 in	
Automatic Restart	No	


Operating and Electrical	
Input Voltage	347/480/120T V
Input Frequency	60 Hz
Input Current (Open Circuit)	1.75/1.3 A
Input Current (Starting)	2.25/1.65 A
Input Current (Short Circuit)	1.7-2.6/1.25-1.9 V
Secondary Short Circuit Current	4.6-6.9 A
Constant Wattage Deviation	12.5%
Ballast Factor (Nom)	1
Power Factor (Nom)	0.90
Open Circuit Voltage	430 V
Input Current (Nom)	3.2/2.35 A A
Input Power (Nom)	1075 W
Rated Lamp Power	1000 W
Wiring	
Wire Striplength	0.5 mm
Wire Length By Color	12"
Wire Type	Stranded
Remote Wiring Configuration Allowed	Yes

### Core & Coil (71A) MH ~GT~ 450W


Max Ballast-Lamp Distance Remote Wiring	5'
Recommended Fuse Value	8/6 A
Approval and Application	
Open Circuit Voltage Test (Volts)	385-470 V
Approval Marks	ULR CSA certificate RoHS Compliant
Temperature Marking	D/D
UL Recognized	Yes
Hipot Test (1 Minute)	2000 V
Hipot Test (2 Seconds)	2500 V
UL Insulation Class	H(180°C)
UL Temperature Code	1029D

Product Data	
Order product name	CORE & COIL HID 71A65F3001
EAN/UPC - Product	781087124123
Order code	913701114011
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	1
Material Nr. (12NC)	913701114011
Net Weight (Piece)	9.966 kg

#### **Dimensional drawing**



MH BAL 1000W M141 347/480V/120T KIT





© 2016 Philips Lighting Holding B.V. All rights reserved. Philips Lighting reserves the right to make changes in specifications and/or to discontinue any product at any timewithout notice or obligation and will not be liable for any consequences resulting from the use of this publication.

www.lighting.philips.com 2016, February 1 - data subject to change