

PAR30S LED Single Optic Lamps with AirFlux Technology

12.5PAR30S/S15 3000 CW SO-B

Philips PAR30S LED Single Optic Lamps with AirFlux Technology provide superior lighting aesthetics and optimal thermal efficiency in a sleek, lightweight design.

Product data

• General Characteristics

Cap-Base E26

Bulb PAR30S [PAR30S mm]

Rated Avg. Life 50000 hr

(Hours)

• Light Technical Characteristics

Color Code WH
Color Designation White
Beam Angle 15 D

Beam Description 15D [Narrow beam]

Correlated Color 3000 K

Temperature

Approximate Lumens 780 Lm
Approx. MBCP 6300 cd
CRI 90
Luminous Efficacy 62.40 Lm/W

Lamp

Color Temp. (Kelvin) 3000 K [CCT 3000K]

Rated Luminous Flux 780 Lm

• Electrical Characteristics

Wattage 12.5 W
Wattage Technical 12.5 W
Voltage 120 V
Line Frequency 60 Hz
Power Factor 0.9 Lamp Current mA 115 mA

Dimmable No Wattage Equivalent 60 W Starting Time 0.5 s

• Environmental characteristics

Energy consumption 13 kWh

kWh/1000h

• Measuring Conditions

Switching cycle 20000X

• Product Dimensions

Overall Length C 93 mm Diameter D 92 mm

• Product Data

Product number 434936
Full product name 5hort product name 12.5PAR30S/S15 3000 CW SO-B 12.5PAR30S/S15 3000 CW SO-B

Pieces per Sku
eop_pck_cfg
Skus/Case

 Bar code on pack
 46677434939

 Bar code on case
 50046677434934

 Logistics code(s)
 929001110104

 eop_net_weight_pp
 0.310 kg






PAR30S LED Single Optic Lamps with AirFlux Technology

Warnings and Safety

- Suitable for use in damp locations.
- Not for use in totally enclosed luminaires.

 Before replacing, turn off power and let lamp cool to avoid electrical shock or burn.

Dimensional drawing



12.5PAR30S/S15 3000 CW SO-B

Product	C (Norm)	C1 (Max)	D (Norm)	D1 (Nom)
LED 12.5W E26 3000K 120V PAR30S 15D	93	-	92	-



E26



© 2015 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.