
# **PHILIPS** Lighting



## LED BR40

### 8.8BR40/PER/927-22/P/E26/WG 6/1FB T20

Philips BR40 LED lamps are the smart alternative to standard incandescent. The traditonal lamp design can provide excellent dimming performance with spectular energy savings. They provide the beautiful light and dependable performance you expect from LED at an economical price.

#### **Product data**


General Information		
Base	E26 [ Single Contact Medium Screw]	
EU RoHS compliant	Yes	
Nominal Lifetime (Nom)	15000 h	
Switching Cycle	50000X	
Technical Type	8.8-65W	
Light Technical		
Color Code	922-927 [ CCT of 2200K-2700K]	
Beam Angle (Nom)	90 °	
Initial lumen (Nom)	800 lm	
Color Designation	Warm White (WW)	
Correlated Color Temperature (Nom)	2200-2700 K	
Luminous Efficacy (rated) (Nom)	90.00 lm/W	
Color Consistency	<4	
Color Rendering Index (Nom)	90	
LLMF At End Of Nominal Lifetime (Nom)	70 %	
Operating and Electrical		
Input Frequency	60 Hz	
Power (Rated) (Nom)	8.8 W	
Lamp Current (Nom)	95 mA	

65 W

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	75 ℃
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Bulb Finish	Frosted
Product Data	
Order product name	8.8BR40/PER/927-22/P/E26/WG 6/1FB T20
EAN/UPC - Product	046677457013
Order code	457010
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929002009104
Net Weight (Piece)	0.165 kg

Wattage Equivalent


Dimensional drawing




8.8BR40/PER/927-22/P/E26/WG 6/1EB T20 125 mm 160 mm	Product	D C	
	8.8BR40/PER/927-22/P/E26/WG 6/1FB T20	125 mm 160 mm	I

BR40 120V 8.9-65W 800lm 2700-2200K E26 D

#### Photometric data



LEDBulbs\_BR40 120V 89-65W 800lm 2700-2200K E26 D



LEDBulbs\_BR40 120V 89-65W 800lm 2700-2200K E26 D


	1 x 9299028091 8.8W 2780K
	1 a 800 ter.
Dante strater dapen	USP. dupon
	1
se <del>Funn</del>	i <del>teri</del>
Utilization leave while	Latitude Table
	10000000000
Phone ATTEND	
	L EXERCISE

Calculus Photometrics 4.5 Philips Lighting B.V. Page:

LEDBulbs\_BR40 120V 89-65W 800lm 2700-2200K E26 D

#### LED BR40

#### Lifetime



LEDBulbs BR30 120V 19-120W 1200lm 2700K E26 D

LEDBulbs BR30 120V 19-120W 1200lm 2700K E26 D



© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.