



# Candle LED

4.5BA12/LED/827-22/E26/DIM 120V

Philips Candle Dimmable LED Lamps offer decorative energy saving ambience with the elegant effect of incandescent candles. Available in bent, blunt and flame tip candles, their unique design provides light in all directions, giving lighting designers a long life alternative to standard incandescent sources.

## Product data

### • General Information

Cap-Base	E26 [ Single Contact Medium Screw]
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Technical Type	4.5-40W

### • Light Technical

Color Code	822-827 [ tunable warm white]
Luminous Flux (Nom)	330 lm
Luminous Flux (Rated) (Nom)	330 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2200-2700 K
Color Consistency	ANSI 2700K
Color Rendering Index (Nom)	80
Llmf At End Of Nominal Lifetime (Nom)	70 %

### • Operating and Electrical

Input Frequency	60 Hz
Power (Rated) (Nom)	4.5 W
Lamp Current (Nom)	45 mA
Wattage Equivalent	40 W
Starting Time (Max)	0.5 s
Warm Up Time To 60% Light (Nom)	instant full light

Power Factor (Nom)	0.7
Voltage (Nom)	120 V

### • Temperature

T-Case Maximum (Nom)	100 °C
----------------------	--------

### • Controls and Dimming

Dimmable	Yes
----------	-----

### • Mechanical and Housing

Bulb Finish	Clear (CL)
-------------	------------

### • Approval and Application


Suitable For Accent Lighting	No
Energy Efficiency Label (EEL)	Not applicable

### • Product Data

Order product name	4.5BA12/LED/827-22/E26/DIM 120V
EAN/UPC - Product	046677458188
Order code	929001179104
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001179104
Net Weight (Piece)	0.063 kg

**PHILIPS**

## Dimensional drawing



### LED 4.5-40W E26 BA12 CL DIM

Product	D	C
4.5BA12/LED/827-22/E26/DIM 120V	38 mm	125 mm



© 2016 Koninklijke Philips N.V. (Royal Philips)  
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

[www.philips.com/lighting](http://www.philips.com/lighting)

2016, January 21  
data subject to change