

Candle LED

10G25/LED/827-22/E26/CL/DIM 120V

Philips Candle Dimmable LED Lamps offer decorative energy saving ambience with the elegant effect of incandescent candles. Available in bent, blunt and flame tip candles, their unique design provides light in all directions, giving lighting designers a long life alternative to standard incandescent sources.



Product data

• General Information


Cap-Base E26 [E26 Single Contact Medium Screw] 25000 h Nominal Lifetime (Nom) Switching Cycle 50000X Technical Type 10-60W

• Light Technical Color Code 822-827 [tunable warm white] Luminous Flux 800 lm (Nom) 800 lm Luminous Flux (Rated) (Nom) Color Designation Warm White (WW) Correlated Color 2200-2700 K Temperature (Nom) Color Consistency **ANSI 2700K** Color Rendering Index (Nom)
LLMF At End Of 70 % Nominal Lifetime (Nom)

· Operating and Electrical

Input Frequency 60 Hz Power (Rated) 10 W (Nom) Lamp Current (Nom) 97 mA Wattage Equivalent 60 W Starting Time (Max) 0.5 s Warm Up Time To instant full light 60% Light (Nom) Power Factor (Nom) 0.9

Dimensional drawing



120 V Voltage (Nom)

• Temperature

90 °C T-Case Maximum (Nom)

• Controls and Dimming

Dimmable Yes

Mechanical and Housing

Bulb Finish Clear

Approval and Application

Suitable For Accent Lighting Energy Efficiency Not applicable Label (EEL) 10 kWh **Energy Consumption** kWh/1000 h

• Product Data


10G25/LED/827-22/E26/CL/DIM Order product name EAN/UPC - Product 046677459345 929001189804 Order code Numerator - Quantity Per Pack Numerator - Packs per outer box . Material Nr. (12NC) 929001189804 Net Weight (Piece) 0.105 kg

LED 10-60W E26 G25 CL DIM

Product D 10G25/LED/827-22/E26/CL/DIM 120V 78 mm 122 mm

Candle LED

Photometric data





© 2016 Philips Lighting Holding B.V. All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.