

[< Back to product family](#)



5.5A15/LED/827-22/E12/CL/DIM 120V

Order code: 463983

[Sales Office Locator](#)

Specifications

General Information

Cap-Base	E12 [Candelabra Screw]
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Technical Type	5.5-40W

Light Technical

Color Code	822-827 [tunable warm white]
Initial lumen (Nom)	450 lm
Luminous Flux (Rated) (Nom)	450 lm
Color Designation	Warm Glow(WG)
Correlated Color Temperature (Nom)	2200-2700 K

Color Consistency	ANSI 2700K
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical

Input Frequency	60 Hz
Power (Rated) (Nom)	5.5 W
Lamp Current (Nom)	60 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s

Add two products to start comparing

[Hide](#)

Warm Up Time to 60% Light (Nom)	0.5 s
---------------------------------	-------

[Compare now](#)

Add product [Voltage \(Nom\)](#) Add product [120 V](#) Add product

Temperature

T-Case Maximum (Nom)	90 °C
----------------------	-------

Controls and Dimming

Dimmable	Yes
----------	-----

Mechanical and Housing


Bulb Finish	Clear (CL)
-------------	------------

Approval and Application

Energy star mark	Energy star
Energy Saving Product	Yes
Suitable For Accent Lighting	No

	120V
EAN/UPC - Product	046677463984
Order code	463983
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001213304
Net Weight (Piece)	0.072 kg

Installation Diagrams



E12 A15

Photometrics

