



A-Shape LED

9.5A19/LED/827-50-22/ND SSCC 120V 6/1

Philips A-shape Dimmable LED lamps are the smart LED alternative to standard incandescents. The unique lamp design provides omi-directional light with excellent dimming performance.

Product data

General Information

Cap-Base	E26 [Single Contact Medium Screw]
Nominal Lifetime (Nom)	15000 h
Switching Cycle	100000X
Technical Type	9.5-60W

Light Technical

Color Code	827/850/822 [CCT of 2700K/5000K/2200K]
Initial lumen (Nom)	800 lm
Luminous Flux Setting(s)	800 lm
Luminous Flux (Rated) Setting(s)	800 lm
Correlated Color Temperature Setting(s)	2700/5000/2200 K
Luminous Efficacy (Rated) (Nom)	84 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical

Input Frequency	60 Hz
Power (Rated) (Nom)	9.5 W
Power (Rated) Setting(s)	9.5 W
Lamp Current (Nom)	130 mA
Wattage Equivalent	60 W

Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.62
Voltage (Nom)	120 V

Temperature

T-Case Maximum (Nom)	89 °C
----------------------	-------

Controls and Dimming

Dimmable	No
----------	----

Mechanical and Housing

Bulb Finish	Frosted (FR)
-------------	--------------

Approval and Application

Suitable For Accent Lighting	No
Energy Efficiency Label (EEL)	Not applicable


Product Data

Order product name	9.5A19/LED/827-50-22/ND SSCC 120V
EAN/UPC - Product	046677464950
Order code	464957
Numerator - Quantity Per Pack	1

A-Shape LED

Numerator - Packs per outer box	6
Material Nr. (12NC)	929001263204
Net Weight (Piece)	0.084 kg


Dimensional drawing






Scene Switch Bulb A19 120V 9.5W-60W ND

Product	D	C
9.5A19/LED/827-50-22/ND SSCC 120V	61.0 mm	111 mm

Photometric data



General Uniform Lighting
CandLux Photometrics 4.5
Philips Lighting B.V.
Page: 1/1



A-Shape LED

Photometric data

