



# TrueForce High Lumen PAR

## 36PAR38/PER/830/S15/ND/120V 6/1FB

Philips LED TrueForce PAR high lumen lamps are the perfect transition from CDM lamps to LED.

### Product data


General Information	
Base	E26 [ Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Technical Type	36-250W
Light Technical	
Color Code	830 [ CCT of 3000K]
Beam Angle (Nom)	15°
Initial lumen (Nom)	3800 lm
Luminous Flux (Rated) (Nom)	3800 lm
Luminous Intensity (Nom)	31000 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	105.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz

Power (Rated) (Nom)	36 W
Lamp Current (Nom)	330 mA
Wattage Equivalent	250 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.95
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	90 °C
Controls and Dimming	
Dimmable	No
Approval and Application	
Suitable For Accent Lighting	Yes
Product Data	
XUCDM.COPY.Product.Title	36PAR38/PER/830/S15/ND/120V 6/1FB
EAN/UPC - Product	046677534585
Order code	534586
Numerator - Quantity Per Pack	1

# TrueForce High Lumen PAR

Numerator - Packs per outer box	6
Material Nr. (12NC)	929001916604
Net Weight (Piece)	0.425 kg


## Dimensional drawing




PAR38 120V 36-W 3800lm 15D 3000K E26 ND

Product	D	C
36PAR38/PER/830/S15/ND/120V 6/1FB	123 mm	133 mm


## Photometric data



LEDspot PAR38



LEDspot E26 PAR38 15D





© 2020 Philips Lighting B.V. All rights reserved. Page 11

LEDspot E26 PAR38 15D

# TrueForce High Lumen PAR

## Lifetime



LEDspot PAR38

LEDspot PAR38

