



# TrueForce High Lumen PAR

## 33PAR38/PER/830/S15/DIM/120V B 6/1FB

Philips LED TrueForce PAR high lumen lamps are the perfect transition from CDM lamps to LED.


### Product data

General Information		Power (Rated) (Nom)	
Base	E26 [ Single Contact Medium Screw]		33 W
EU RoHS compliant	Yes	Lamp Current (Nom)	300 mA
Nominal Lifetime (Nom)	25000 h	Wattage Equivalent	250 W
Switching Cycle	50000X	Starting Time (Nom)	0.5 s
Technical Type	33-250W	Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.95
		Voltage (Nom)	120 V
Light Technical		Temperature	
Color Code	830 [ CCT of 3000K]	T-Case Maximum (Nom)	90 °C
Beam Angle (Nom)	15 °		
Initial lumen (Nom)	3000 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	3000 lm	Dimmable	Yes
Luminous Intensity (Nom)	35000 cd		
Color Designation	White (WH)	Approval and Application	
Correlated Color Temperature (Nom)	3000 K	Suitable For Accent Lighting	Yes
Luminous Efficacy (rated) (Nom)	90.00 lm/W		
Color Consistency	<4	Product Data	
Color Rendering Index (Nom)	80	XUCDM.COPY.Product.Title	33PAR38/PER/830/S15/DIM/120V B 6/1FB
LLMF At End Of Nominal Lifetime (Nom)	70 %	EAN/UPC - Product	046677534622
Operating and Electrical		Order code	534628
Input Frequency	50 to 60 Hz	Numerator - Quantity Per Pack	1

# TrueForce High Lumen PAR

Numerator - Packs per outer box	6
Material Nr. (12NC)	929001919604
Net Weight (Piece)	0.425 kg


## Dimensional drawing




PAR38 120V 32-W 2800lm 15D 3000K E26 D

Product	D	C
33PAR38/PER/830/S15/DIM/120V B 6/1FB	123 mm	133 mm


## Photometric data



LEDSpot 33W E26 PAR38 S15 B




LEDSpot 33W E26 PAR38




LEDSpot 33W E26 PAR38 S15

# TrueForce High Lumen PAR

## Lifetime



LEDSpot 33W E26 PAR38



LEDSpot 33W E26 PAR38

