



TrueForce High Lumen PAR

23PAR30s/PER/930/F25/ND/120V 6/1FB

Philips LED TrueForce PAR high lumen lamps are the perfect transition from CDM lamps to LED.


Product data

General Information		Power (Rated) (Nom)	
Base	E26 [Single Contact Medium Screw]		23 W
EU RoHS compliant	Yes	Lamp Current (Nom)	206 mA
Nominal Lifetime (Nom)	25000 h	Wattage Equivalent	75 W
Switching Cycle	50000X	Starting Time (Nom)	0.5 s
Technical Type	23-75W	Warm Up Time to 60% Light (Nom)	0.5 s
		Power Factor (Nom)	0.9
		Voltage (Nom)	120 V
Light Technical		Temperature	
Color Code	930 [CCT of 3000K]	T-Case Maximum (Nom)	94 °C
Beam Angle (Nom)	25 °		
Initial lumen (Nom)	1900 lm	Controls and Dimming	
Luminous Flux (Rated) (Nom)	1900 lm	Dimmable	No
Luminous Intensity (Nom)	9000 cd		
Color Designation	White (WH)	Approval and Application	
Correlated Color Temperature (Nom)	3000 K	Suitable For Accent Lighting	Yes
Luminous Efficacy (rated) (Nom)	82.00 lm/W		
Color Consistency	<4	Product Data	
Color Rendering Index (Nom)	90	XUCDM.COPY.Product.Title	23PAR30s/PER/930/F25/ND/120V 6/1FB
LLMF At End Of Nominal Lifetime (Nom)	70 %	EAN/UPC - Product	046677534691
Operating and Electrical		Order code	534693
Input Frequency	50 to 60 Hz	Numerator - Quantity Per Pack	1

TrueForce High Lumen PAR

Numerator - Packs per outer box	6
Material Nr. (12NC)	929001917504
Net Weight (Piece)	0.220 kg


Dimensional drawing




PAR30s 24.5-W 2000lm 25D 3000K E26 ND

Product	D	C
23PAR30s/PER/930/F25/ND/120V 6/1FB	96 mm	94 mm


Photometric data



LEDspot 23 PAR30L 930 F25





LEDspot PAR30 1FB



LEDspot 23 PAR30L 930 F25

TrueForce High Lumen PAR

Lifetime



LEDspot PAR30 1FB

LEDspot PAR30 1FB

