



LED PAR20

8.5PAR20/PER/927/F25/DIM/EC/120V B 6/1FB

Philips is driving the switch to energy-efficient solutions. Upgrade your track and accent lights with our small diameter reflectors for instant energy savings and unbeatable quality. Available in both Glass and Plastic casings, Philips LED Par20s are the ideal replacement for halogen.


Product data

General Information		Temperature	
Base	E26 [Single Contact Medium Screw]	Lamp Current (Nom)	86 mA
EU RoHS compliant	Yes	Wattage Equivalent	50 W
Nominal Lifetime (Nom)	25000 h	Starting Time (Nom)	0.5 s
Switching Cycle	50000X	Warm Up Time to 60% Light (Nom)	0.5 s
Technical Type	8.5-50W	Power Factor (Nom)	0.8
Light Technical		Voltage (Nom)	120 V
Color Code	927	Controls and Dimming	
Beam Angle (Nom)	25 °	Dimmable	Yes
Initial lumen (Nom)	600 lm	Approval and Application	
Luminous Flux (Rated) (Nom)	600 lm	Suitable For Accent Lighting	Yes
Luminous Intensity (Nom)	2450 cd	Product Data	
Color Designation	Warm White (WW)	XUCDM.COPY.Product.Title	8.5PAR20/PER/927/F25/DIM/EC/120V B 6/1FB
Correlated Color Temperature (Nom)	2700 K	EAN/UPC - Product	046677535322
Luminous Efficacy (rated) (Nom)	70.00 lm/W	Order code	535328
Color Consistency	<4	Numerator - Quantity Per Pack	1
Color Rendering Index (Nom)	95	Numerator - Packs per outer box	6
LLMF At End Of Nominal Lifetime (Nom)	70 %		
Operating and Electrical			
Input Frequency	50 to 60 Hz		
Power (Rated) (Nom)	8.5 W		

LED PAR20

Material Nr. (12NC)	929001922404
Net Weight (Piece)	0.140 kg


Dimensional drawing




PAR20 120V 9-50W 550lm 25D 2700K E26 D

Product	D	C
8.5PAR20/PER/927/F25/DIM/EC/120V B 6/1FB	64 mm	83.5 mm


Photometric data



LEDSpot PAR20 E26 2700K





LEDSpot PAR20 E26 2700K 25D



LEDSpot PAR20 E26 2700K 25D 550lm

LED PAR20

Lifetime



LEDSpot PAR20 E26

LEDSpot PAR20 E26

