

# LED A19-A21

## 5A19/PER/950/CL/G/E26/DIM 1FB T20

Philips A19/A21 LED lamps are the smart alternative to standard incandescent. The unique lamp design provides omni-directional light with excellent dimming performance.

### Product data

General Information	
Base	E26 [ Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	5-40W
Light Technical	
Color Code	950 [ CCT of 5000K]
Initial lumen (Nom)	450 lm
Luminous Flux (Rated) (Nom)	450 lm
Color Designation	Daylight
Correlated Color Temperature (Nom)	5000 K
Luminous Efficacy (rated) (Nom)	90.00 lm/W
Color Consistency	<4
Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	60 Hz
Power (Rated) (Nom)	5 W
Lamp Current (Nom)	55 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	120 V

Temperature	
T-Case Maximum (Nom)	50 °C


Controls and Dimming	
Dimmable	Yes

Mechanical and Housing	
Bulb Finish	Clear

Product Data	
XUCDM.COPY.Product.Title	5A19/PER/950/CL/G/E26/DIM 1FB T20
EAN/UPC - Product	046677549220
Order code	549220
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929002207804
Net Weight (Piece)	0.030 kg

# LED A19-A21


## Dimensional drawing




Bulb A19 120V 5.0-40W 450lm 5000K E26DCL

Product	D	C
5A19/PER/950/CL/G/E26/DIM 1FB T20	60 mm	108 mm


## Photometric data



LEDbulb 40,60W E26 950 CL,FR




LEDbulb 40,60W E26 950



LEDbulb 40W E26 A19 950 CL

# LED A19-A21

## Lifetime



LEDbulb\_15K LED

LEDbulb\_15K LMP

