



MasterConnect LED PAR

8PAR30L/MC/930/F40/IA/120V 6/1FB

Introducing MasterConnect LED lamps - smart retrofit LED lamps that give you an easy and seamless way to upgrade to connected lighting. Simply set up with an intuitive app, MasterConnect LED lamps can be programmed to maximize energy savings, while providing wireless and automated light for your comfort and convenience. What's more, it is fully scalable and upgradable. If you want to enjoy further benefits such as remote control or management dashboard, you can simply keep the currently installed lamps and add a gateway to experience all the advantages of a cloud-based system. There's no better way to take lighting solutions to the next level.

Product data

General information	
Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Technical Type	8-75W
Light technical	
Color Code	930 [CCT of 3000K]
Beam Angle (Nom)	40 °
Initial lumen (Nom)	850 lm
Luminous Intensity (Nom)	1315 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	106.00 lm/W
Color Consistency	<4

Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	8 W
Lamp Current (Nom)	75 mA
Wattage Equivalent	75 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	70 °C


Datasheet, 2021, December 13 data subject to change

MasterConnect LED PAR

Controls and dimming	
Dimmable	Wireless Dim
Mechanical and housing	
Bulb Finish	Clear
Bulb Material	Glass
Product Length	4 in
Bulb Shape	PAR30L [PAR 3.75 inch/95mm Long]
Approval and application	
Energy Saving Product	Yes
Approbation Marks	RoHS compliance Energy Star
Energy Consumption kWh/1000 h	- kWh

Product data	
Order product name	8PAR30L/MC/930/F40/IA/120V 6/1FB
EAN/UPC - Product	046677553630
Order code	553636
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929002254404
Net Weight (Piece)	0.290 kg
Model Number	9290022544

Dimensional drawing





8PAR30L/MC/930/F40/IA/120V 6/1FB

Product


8PAR30L/MC/930/F40/IA/120V 6/1FB

Photometric data






LEDspots MAS G1 8W PAR30L E26 930 40D



LEDspots MAS G1 8W PAR30L E26 930 40D


MasterConnect LED PAR


Photometric data



LEDspots MAS G1 8W PAR30L E26 930 25D

Lifetime





LEDspots LED 25K

LEDspots LMP 25K



© 2021 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.