



MasterConnect LED PAR

8PAR30S/MC/930/F25/IA/120V 6/1FB

Introducing MasterConnect LED lamps - smart retrofit LED lamps that give you an easy and seamless way to upgrade to connected lighting. Simply set up with an intuitive app, MasterConnect LED lamps can be programmed to maximize energy savings, while providing wireless and automated light for your comfort and convenience. What's more, it is fully scalable and upgradable. If you want to enjoy further benefits such as remote control or management dashboard, you can simply keep the currently installed lamps and add a gateway to experience all the advantages of a cloud-based system. There's no better way to take lighting solutions to the next level.

Product data


General information	
Base	E26 [Single Contact Medium Screw]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	50000X
Technical Type	8-75W
Light technical	
Color Code	930 [CCT of 3000K]
Beam Angle (Nom)	25 °
Initial lumen (Nom)	850 lm
Luminous Intensity (Nom)	2910 cd
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	106.00 lm/W
Color Consistency	<4

Color Rendering Index (Nom)	90
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	8 W
Lamp Current (Nom)	75 mA
Wattage Equivalent	75 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	120 V
Temperature	
T-Case Maximum (Nom)	70 °C

MasterConnect LED PAR


Controls and dimming	
Dimmable	Wireless Dim
Mechanical and housing	
Bulb Finish	Clear
Bulb Material	Glass
Product Length	4 in
Bulb Shape	PAR30S [PAR 3.75 inch/95mm Short]
Approval and application	
Energy Saving Product	Yes
Approbation Marks	RoHS compliance Energy Star
Energy Consumption kWh/1000 h	- kWh

Dimensional drawing



8PAR30S/MC/930/F25/IA/120V 6/1FB


Photometric data



LEDspots MAS G1 8W PAR30S E26 930 25D

Product data	
Order product name	8PAR30S/MC/930/F25/IA/120V 6/1FB
EAN/UPC - Product	046677553661
Order code	553669
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929002254704
Net Weight (Piece)	0.220 kg
Model Number	9290022547


Product
8PAR30S/MC/930/F25/IA/120V 6/1FB



LEDspots MAS G1 8W PAR30L E26 930 25D


MasterConnect LED PAR

Photometric data




LEDspots MAS G1 8W PAR30L E26 930 25D

Lifetime



LEDspots LED 25K



LEDspots LMP 25K

