



# A-Shape LED

## 13.5A19/LED/930/FR/P/ND 4/1FB

Philips A-Shape Dimmable LED Lamps are the smart LED Alternative to standard incandescent. The unique lamp design provides omni-directional light with excellent dimming performance.


### Product data

| General information                   |                                    |
|---------------------------------------|------------------------------------|
| Base                                  | E26 [ Single Contact Medium Screw] |
| EU RoHS compliant                     | Yes                                |
| Nominal Lifetime (Nom)                | 11000 h                            |
| Switching Cycle                       | 50000X                             |
| Light technical                       |                                    |
| Color Code                            | 930 [ CCT of 3000K]                |
| Beam Angle (Nom)                      | 150 °                              |
| Initial lumen (Nom)                   | 1500 lm                            |
| Color Designation                     | White (WH)                         |
| Correlated Color Temperature (Nom)    | 3000 K                             |
| Luminous Efficacy (rated) (Nom)       | 111.00 lm/W                        |
| Color Consistency                     | <6                                 |
| Color Rendering Index (Nom)           | 90                                 |
| LLMF At End Of Nominal Lifetime (Nom) | 70 %                               |
| Operating and electrical              |                                    |
| Input Frequency                       | 60 Hz                              |
| Power (Rated) (Nom)                   | 13.5 W                             |
| Lamp Current (Nom)                    | 223 mA                             |
| Wattage Equivalent                    | 100 W                              |
| Starting Time (Nom)                   | 0.5 s                              |
| Warm Up Time to 60% Light (Nom)       | 0.5 s                              |

| Power Factor (Nom)              | 0.5                           |
|---------------------------------|-------------------------------|
| Voltage (Nom)                   | 120 V                         |
| Temperature                     |                               |
| T-Case Maximum (Nom)            | 95 °C                         |
| Controls and dimming            |                               |
| Dimmable                        | No                            |
| Mechanical and housing          |                               |
| Bulb Finish                     | Frosted                       |
| Bulb Shape                      | A19 (A19)                     |
| Product data                    |                               |
| Order product name              | 13.5A19/LED/930/FR/P/ND 4/1FB |
| EAN/UPC - Product               | 046677565183                  |
| Order code                      | 565184                        |
| Numerator - Quantity Per Pack   | 1                             |
| Numerator - Packs per outer box | 4                             |
| Material Nr. (12NC)             | 929003005504                  |
| Net Weight (Piece)              | 0.050 kg                      |

A-Shape LED


Dimensional drawing




13.5A19/LED/930/FR/P/ND 4/1FB

| Product                       |
|-------------------------------|
| 13.5A19/LED/930/FR/P/ND 4/1FB |


Photometric data



LEDbulb G6 A19 13,5W E26 930 FR-LDD




LEDbulb G6 13,5W A19 E26 930 FR-POC




LEDbulb G6 13,5W A19 E26 930 FR-GUL

A-Shape LED

Lifetime



10K



10K

