




Classic filament LEDbulbs

5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20

Philips LED vintage-style lamps allow you to maintain a warm, classic light effect while providing longer life and energy savings.

Product data


General Information		Starting Time (Nom)	
Cap-Base	E26 [Single Contact Medium Screw]	Warm-up time to 60% light	0.5 s
Nominal lifetime	15,000 hour(s)	Power Factor (Fraction)	0.7
Switching Cycle	20,000	Voltage (Nom)	120 V
Lighting Technology	LED	Controls and Dimming	
Light Technical		Dimmable	Only with specific dimmers
Color Code	927 [CCT of 2700K]	Mechanical and Housing	
Beam Angle (Nom)	330 degree(s)	Bulb Finish	Clear
Luminous Flux	500 lm	Bulb Material	Glass
Color Designation	Warm White (WW)	Bulb Shape	A19
Correlated Color Temperature (Nom)	2700 K	UL Wet/ damp/ dry location	Wet location
Luminous Efficacy (rated) (Nom)	90 lm/W	Net Weight (Piece)	0.062 lb
Color Consistency	<4	Approval and Application	
Color rendering index (CRI)	90	EU RoHS compliant	Yes
LLMF At End Of Nominal Lifetime (Nom)	70 %	T20 compliant	Yes
Operating and Electrical		Ambient temperature range	-4 to +113 °F
Input Frequency	60 Hz		
Power Consumption	5.5 W		
Lamp Current (Nom)	62 mA		
Wattage Equivalent	40 W		

Classic filament LEDbulbs

Application Conditions	
can it be used in closed luminaires	No
Product Data	
Order product name	5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20
Full product name	5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20
Order code	565788



Material Nr. (12NC)	929002988503
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	046677565787
Numerator - Packs per outer box	4
EAN/UPC - Case	50046677565782

Dimensional drawing




Product	D	C
5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20	2-3/8 inch	4-3/16 inch

Photometric data




Spectral Power Distribution Colour - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20

General uniform lighting - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20




Classic filament LEDbulbs

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - 5.5A19/VIN/927/E26/CL/G/SP DIM 1PF T20

